

# MATERIALSAFETYDATASHEET

“WEISHI I” extinguish additive

Date Prepared: 10<sup>th</sup> Jan. 2023 Issued by:QILI-TECH.

1.CHEMICAL PRODUCT AND COMPANY INFORMATION		
Chemical Product	Not Applicable Blend	
Company Name	Langfang Qili technology Limited Corporation	
Product Name	“WEISHI I” extinguishing additive	
Address	CITY LANGFANG,HEBEI,CHINA	
Company Telephone #	+8617610077135	
Email	qili@qili-tech.com	
Recommended Use	Firefighting truck; Aircraft	
2.HAZARDS IDENTIFICATION		
Hazard Classification	Not classified as hazardous	
Safety Phrase(s)	Avoid contact with skin and eyes	
3. COMPOSITION / INFORMATION ON INGREDIENTS		
The composition of this mixture is proprietary information. In the event of a medical emergency, compositional information will be provided to a physician or nurse.		
NAME	CAS	PROPORTION
Sodium polyacrylate	Trade Secret	60-75%
Water	7732-18-5	20-50%
4.FIRST AID MEASURES		
Inhalation	Immediately remove the affected victim from exposure and administer fresh air. Apply artificial respiration if breathing has stopped. Keep at rest. Call for prompt medical attention.	
Ingestion	Do NOT induce vomiting. If individual is conscious, give plenty of water or milk to dilute stomach contents. Keep warm and quiet. Get prompt medical attention. Do NOT attempt to give anything by mouth to an unconscious person.	
Skin	Immediately flush with large amounts of water, use soap if available. Remove contaminated clothing, including shoes, after flushing has begun. If irritation persists, seek medical attention.	
Eye	Immediately flush eyes with large amounts of water for at least 15 minutes. Seek prompt medical attention if irritation persists.	
First Aid Facilities	Eyewash and normal washroom facilities	
Advice to Doctor	Product has a neutral pH. Working solutions when heated above 75° C can cause respiratory irritation such as typical of mild acids and should be treated as such. Skin or eye contact with product should be flushed with water to reduce irritation.	
5. FIRE FIGHTING MEASURES		
Suitable Extinguishing Media	Apply water to extinguish	
Hazards from Combustion Products	Product is non-combustible	
Precautions in Connection with Fire	Non-flammable liquid concentrate	
<b>SPECIAL FIRE FIGHTING INSTRUCTIONS:</b> Product is a fire fighting extinguishing agent. Product is		

# MATERIALSAFETYDATASHEET

“WEISHI I” extinguish additive

a non-flammable powder; however, exposure to high heat for extended period of time could cause combustion. If combustion occurs, apply water to extinguish.

**NOTE:** No hazardous byproducts are known.

## 6. ACCIDENTAL RELEASE MEASURES

Land Spill	Product is not a hazardous waste. Dispose of in accordance with government regulations. When product is used to mitigate a hazardous material, the resultant material must be handled in the same fashion as the hazardous material. Contain liquid with sand or earth. Do not use combustible materials such as sawdust. Recover liquids by pumping (use an explosion proof or hand pump if recovering flammable liquids) or with a suitable absorbent. Consult an expert on disposal of recovered material.
------------	---

Water Spill	Dike or contain any spill. Avoid direct discharge into any body of water. Diluted product may be acceptable in municipal wastewater treatment plants.
-------------	---

## 7. STORAGE AND HANDLING

Precautions for Safe Handling	Keep containers closed until ready for use. Handle any open containers with care. Empty product containers may contain product residue. Do NOT reuse empty containers without commercial cleaning or reconditioning.
-------------------------------	--

Conditions for Safe	Storage Store in cool, well ventilated area away from incompatible materials. Protect material from direct sunlight. This material is not a static accumulator, but use proper grounding procedures. Do NOT pressurize, cut, heat or weld containers.
---------------------	---

**SHELF LIFE (unopened container):** 5 years unopened container.

**STORAGE TEMPERATURE:** 2°C -55°C

**STORAGE/TRANSPORT PRESSURE:** Atmospheric

**LOADING/UNLOADING VISCOCITY:** 85 cP at 21° C

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National Exposure Standards	Nil established
Biological Limit Values	Nil allocated
Engineering Controls	Provide sufficient ventilation with local exhaust ventilation system in an enclosed area.
Respiratory Protection	Typically respiratory protection is not required under normal conditions of use.
Eye Protection	Wear protective eyewear.
Hand Protection	Wear gloves.
Body Protection	Where contact is likely, wear long sleeves.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White Powder
Odour	Mild








# MATERIALSAFETYDATASHEET

“WEISHI I” extinguish additive

Melting Point	1000°C
Boiling Point	600°C+
Solubility in Water	Complete at 20° C
Specific Gravity	0.990 g/cc
pH Value	6.8 - 7 pH
Vapour Pressure (Air=1)	2,666 Pa @ 25° C
Flash Point	N/A
Flammability	Non-flammable liquid
Auto-Ignition Temperature	N/A
Explosion Limits (lower/upper)	Non-explosive
<b>10. STABILITY AND REACTIVITY</b>	
Chemical Stability	Stable
Conditions to Avoid	Avoid contact with strong oxidizing agents
Incompatible Materials	Strong oxidizing agents
Hazardous Decomposition Products	None identified
Hazardous Polymerization	Will not occur
<b>11. TOXICOLOGICAL INFORMATION</b>	
Toxicology Information	EC50 (microbial toxicity) - Activated Sludge Microorganisms - 3,000.00mg/L LC50 (aquatic toxicity) - Pimephales promelas - 1.20 mg/L LD50 (acute oral toxicity) - Rat (Rattus norvegicus) -> 5.00 gr/kg Non-Mutagenic (OECD Guidelines Section 471)
Ingestion	May cause gastro-intestinal irritation if ingested.
Skin	Frequent or prolonged contact may cause minor irritation and/or drying. OECD 401-Non skin sensitizing.
Eye	Can cause local irritation.
<b>12. ECOLOGICAL INFORMATION</b>	
Ecotoxicity	Pyro X contains no reportable ingredients
Persistence/Degradability Mobility	100% Biodegradable
Mobility	High mobility
Bioaccumulative Potential	Nil
Environmental Protection	Prevent spilled material from entering sewers, waterways, or any body of water
Acute Toxicity - Other Organisms	Nil Known
Biological Oxygen Demand (BOD5) (mg/L)	12,000 at 3% solution
Chemical Oxygen Demand (COD) (mg/L)	58,000 at 3% solution
Corrosivity	8 micrometers/year (same as fresh water)

# MATERIAL SAFETY DATA SHEET

“WEISHI I” extinguish additive

13. DISPOSAL CONSIDERATIONS													
Disposal Considerations	Handle open containers with care. Empty product containers may contain residue. Triple rinse empty containers and add rinse water to working solution. Empty container is recyclable.												
14. TRANSPORT INFORMATION													
Transport Information	Transport under atmospheric pressure conditions and avoid freezing or high temperatures in excess of 55 ° C. Transportation class: Cleaning agents not otherwise specified.												
15. REGULATORY INFORMATION													
Regulatory Information	Not classified as hazardous												
Poisons Schedule	Not scheduled												
16. OTHER INFORMATION													
<b>NPCA-HMIS</b>	<b>NFPA704</b>												
<table border="1"><tr><td>HEALTH</td><td>/</td><td>0</td></tr><tr><td>FLAMMABILITY</td><td></td><td>0</td></tr><tr><td>PHYSICAL HAZARD</td><td></td><td>0</td></tr><tr><td>PERSONAL PROTECTION</td><td> </td><td>np</td></tr></table>	HEALTH	/	0	FLAMMABILITY		0	PHYSICAL HAZARD		0	PERSONAL PROTECTION	 	np	
HEALTH	/	0											
FLAMMABILITY		0											
PHYSICAL HAZARD		0											
PERSONAL PROTECTION	 	np											

*This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.*

*This report is issued under the authorization and approved by Langfang Qili technology Limited Corporation.*